

Installation and Maintenance

Tiger Fish Top Mount Outrigger Holders

Installation:

*Be sure that your t-top radar arch or hard top is constructed with a proper mounting surface to provide a strong mounting surface for your new top mount outrigger holders.

*We recommend at least a 3/8 inch thick aluminum plate 5 inch wide be used for the mounting surface with 3-4 welded seams for the full 6 inch bow to stern.

*As an option you may use our Tigress T-top extrusions in 20 inch thru 30 inch 88920, 88924, 88928 or 88930. This will depend on the distance between the ribs of the t-top.

*We also have a 4 x 6 backing plate 88932 available for addition strength.

*If using aluminum plate, use the enclosed template for positioning holes in plate! The template as supplied is only a guide for the true positioning of the holes.

*Be sure that the 3 inch center hole has a small gap around it once the holder is positioned for installation.

*Bolts are provided; but if purchased, be sure to use only good quality stainless steel fasteners.

Installation as follows: 88950 - 88960

1. Many T-tops come prepared with an extrusion running laterally in the top that has a 3 inch hole in it and is set up to accept the 4 x 6 base plate of the T-top holder.
2. If your t-top does not have the proper extrusion, Tigress has these in available in 4 lengths as above. These require welding for proper installation.
3. Once the extrusions are in place simply set the handle of the T-top holder thru the hole and using the 4 bolts as supplied attach the holder to the extrusion. Some t-tops are built with **7°, 9° or 11°** degree angle to your t-top. If your t-top is one of these you will need either our **#88934 - 7°, #88936 9° - or #88938 11°** adjusting wedges in order for your t-top outrigger holder to perform properly. Note: The supplied bolts are 1inch in length you may need longer bolts depending on the extrusion. Should this be needed, we recommend only stainless steel bolts to attach the t-top holder. On Model 88960 we have supplied pvc isolator pads to protect the dissimilar metal. Be sure to use this in all installations involving this model.

Maintenance: Wash with Fresh Water After Each Use.

Warranty: Your New Tiger Fish Top Mount holder was inspected and tested before leaving the factory. We warrant this product to be free from defects in materials and workmanship under normal use and service for a period of One Year from date of purchase.



Installation and Maintenance

Tiger Fish Top Mount Outrigger Holders

Directions for Use: Model # 88950 & # 88960

1. These units are a spring loaded mechanism. To move your outriggers from the rest position to the fishing position. Simply pull down on the handle to release the inner spring and rotate the handle until you have reached the proper deployment for your outriggers. Release handle to set the position.
2. To adjust the top outrigger arm, turn the upper T-handle approximately 3 turns counter clock wise.
3. This will release the spring mechanism for adjusting the angle of the outrigger arm.
4. Pull the t-handle out to release the positioning pins and adjust the angle of the outriggers to your desired fishing position. This is to be done manually.
5. Once you have the desired position of your outriggers, simply release the t-handle, the pins will set into position. Finally turn the t-handle clock wise to lock back into place. Please always make sure that the t-handle is properly tightened while fishing or just in resting position. So that you do not lose your manufacturers warranty on this product. If not tightened properly it will break the pins in your new unit. Adjust your outrigger lines and,

TIGHT LINES AND GOOD FISHING!

For Prompt Repair and Service: Please return your Tigress Product with dated proof of purchase to Tigress Outriggers & Gear at the address below:

2516 SW 4th Ave.
Ft. Lauderdale, FL 33315
(954) 462-0917

Warranty Registration Card

Please complete and Return with copy of receipt, so that we may add you to our Owner Registration Files:

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Date Purchased: _____

Product #: _____

Product Description: _____

Mail To: Tigress Outriggers & Gear
2516 South West 4th Avenue
Fort Lauderdale, Florida 33315
Attn: Warranty Department

